




Accessories




71-54
Flexible Hose




94-614
Walbro GSS pump connector to Mitsubishi style connector. Wire is 16 AWG. Overall length is 7". Used in pump and kit #GCA702.




94-615
Universal wire harness with Walbro GSS pump connector on one end. Wire is 14 AWG. Overall length is 12". Use with 187-113 butt connectors. Use in pump & kit #'s GCA311,



94-638
Female spade connectors to Mitsubishi style connector. Wire is 16 AWG. Overall length is 7". Used in pump and kit #'s TCA318 and TCA380.




94-639
Walbro GSS pump connector to ring terminals. Wire is 14 AWG. Overall length is 7". Used in pump and kit #'s GCA317, GCA355, GCA3305, GCA3318, GCA3322, GCA3323, GCA3325, GCA3338, GCA3341, GCA3357, GCA3369, GCA3381, GCA3384 and GCA764.




94-646
Walbro GSS pump connector to Mitsubishi style connector. Polarity is reverse of 94-614. Wire is 16 AWG. Used in pump and kit #'s GCA343, GCA3342 and GCA3390.

Accessories




94-647

Female spade terminals to Mitsubishi style connector. Wire is 16 AWG. Overall length is 7". Polarity is reverse of 94-638. Used in pump and kit # TCA376.




94-663

Female spade connector to GM style connector. Wire is 18 AWG. Overall length is 5". Used to adapt pumps with spade terminals to GM brackets.




94-668

Walbro GSS pump connector to GM style connector. Wire is 18 AWG. Overall length is 5". Used to adapt pumps with GSS terminals to GM brackets.




94-686

Universal wire harness with Walbro GSS pump connector on one end. Wire is 14 AWG. Overall length is 42". Use with 187-113 butt connectors.



94-696


Female spade connectors to Walbro GSS pump (male terminals). Used to adapt GSS style bracket to a spade terminal pump.



94-701


Walbro GSS pump connector to Ford style connector. Wire is 16 AWG. Overall length is 5.75". Used in pump and kit #'s GCA3379, GCA709, GCA720, GCA721, GCA739, GCA741, GCA742, GCA743, GCA745, GCA752, GCA763 and GCA767.

Accessories




94-714

Walbro GSS pump with white outlet (reverse polarity) connector to GM style connector. Wire is 18 AWG. Gray positive wire and black negative wire. Overall length is 5". Used to adapt pumps with the GSS terminals to GM brackets.



94-729

Short, universal wire harness for Walbro GSS pump with white outlet (reverse polarity). Gray positive wire and black negative wire. Wire is 18 AWG, 3.25" long. Use with 187-113 butt connectors.




187-113

Butt connectors. Use with 94-615, 94-686 & 94-729.




400-690

Minivan wire harness for TU100 applications.



400-915


Rollover valve for Dodge Truck applications.



400-920


In-line mounting clamp & sleeve kit.

Accessories




400-929

In-line hardware kit.




0940247

Walbro blade connector style pump to Ford small electrical connector harness.



128-3012

Bundy outlet or inlet. 400-929 kit required for each pump.




128-3014

9mm multi-barb outlet or inlet.
400-929 kit required for each pump.



128-3015


12 mm multi-barb outlet or inlet.
400-929 kit required for each pump.



128-3023


10 mm threaded outlet or inlet.
400-929 kit required for each pump.

Accessories




128-3024

8 mm single barb outlet or inlet.
400-929 kit required for each
pump.



128-3025

12 mm outside diameter inlet.
400-929 kit required for each
pump.



128-3026

15 mm outside diameter inlet.
400-929 kit required for each
pump.




128-3027

12 mm banjo outlet or inlet.
400-929 kit required for each
pump.



128-3028


14 mm DIN outlet.
400-929 kit required for each
pump.



128-3039


6-AN outlet or inlet.
400-929 kit required for each
pump.

Accessories




128-3040

8-AN outlet or inlet.
400-929 kit required for each
pump.




128-3041

12 mm female outlet or inlet.
400-929 kit required for each
pump.




128-3042

14 mm banjo outlet or inlet.
400-929 kit required for each
pump.



128-3057

10.5 mm multi-barb outlet or inlet.
400-929 kit required for each
pump.



128-3075

12 mm threaded outlet or inlet.
400-929 kit required for each
pump.